

ATAGENIX LABORATORIES

Catalog Number:ATA26222 CD209 rabbit Polyclonal Antibody

产品概述

产品名(Product Name)	CD209 rabbit Polyclonal Antibody
货号(Catalog No.)	ATA26222
种类(Category)	Primary antibodies
宿主(Host)	Rabbit
反应种属(Species specificity)	Human,Mouse,Rat
应用实验(Tested applications)	WB,ELISA
克隆性(Clonality)	Polyclonal
偶连物(Conjugation)	Unconjugated
免疫原(Immunogen)	Synthesized peptide derived from CD209 antigen at AA range: 261-310
产品性能	
状态(Form)	Liquid
存放条件(Storage)	Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 4 $^\circ\mathrm{C}$
	for frequent use. Store at -20 to -80 °C for twelve months from the date of receipt.
纯化方式(Purity)	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography
	using epitope-specific immunogen.

应用

Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.

产品背景

CD209 molecule(CD209) Homo sapiens This gene encodes a transmembrane receptor and is often referred to as DC-SIGN because of its expression on the surface of dendritic cells and macrophages. The encoded protein is involved in the innate immune system and recognizes numerous evolutionarily divergent pathogens ranging from parasites to viruses with a large impact on public health. The protein is organized into three distinct domains: an N-terminal transmembrane domain, a tandem-repeat neck domain and C-type lectin carbohydrate recognition domain. The extracellular region consisting of the C-type lectin and neck domains has a dual function as a pathogen recognition receptor and a cell adhesion receptor by binding carbohydrate ligands on the surface of microbes and endogenous cells. The neck region is important for homo-oligomerization which allows the receptor to bind multivalent ligands with high avidity. Variations in the number of 23 amino a